

DP-1413

 <p><b>Enviro-Ag Engineering, Inc.</b> ENGINEERING CONSULTANTS 3404 Airway Boulevard AMARILLO, TEXAS 79118 TEL (806) 353-6123 FAX (806) 353-4132</p>	<p>Site Map</p>	<p>Stark Dairy Clovis Curry County, New Mexico</p>
---	-----------------	--

**A-10. Discharge Quality.**

Indicate the expected quality of the discharge -- wastewater, leachate, sludge, etc. -- generated, stored, treated, processed and/or discharged at your facility. List the contaminants of concern and the expected concentrations. *Not all facilities need to characterize influent quality.* See Supplemental Instructions for typical contaminants and additional guidance.

Expected or Known Contaminants	Expected concentration range Indicate units: mg/L, CFU/100 ml, etc.	
	Incoming (Influent)	Final (Effluent)
Dairy Facility:		
Nitrate-Nitrogen*	.77 mg/l	
Total Kjeldahl Nitrogen*	189 mg/l	
Total Dissolved Solids*	1320 mg/l	
Chlorides*	85.1 mg/l	
*May 2008 Quarterly Report		

For new septic tank systems, you may either fill out the chart above or simply check one of the following options:

- ☐ typical domestic wastewater
- ☐ low-strength domestic wastewater (large gray water component; e.g., laundromat, spa, etc.)
- ☐ high-strength domestic wastewater (low water use; e.g., RV park, low-flow toilets at campground, etc.)

**A-11. Ground Water Conditions.**

All applicants must provide the depth to and pre-discharge TDS concentration of the ground water that could be affected by the discharge. Refer to Supplemental Instructions for details on how to obtain these values.

Indicate the depth to the most shallow ground water beneath the discharge site. If there are multiple discharge sites, indicate the range of depths.

Depth to water (feet): 399.33'

Reference: May 28, 2008 Quarterly Report

- ☒ Measurement, nearby monitoring well (#3)
- ☐ Measurement, nearby supply well
- ☐ Well log from nearby well (attach copy)
- ☐ Office of the State Engineer  
<http://www.ose.state.nm.us/>
- ☐ Report or study (give citation here and attach relevant portion):
- ☐ Other (describe):

Indicate the total dissolved solids (TDS) concentration of most shallow ground water beneath the discharge site. Attach copies of analyses.

TDS (mg/L): 256 mg/l

Reference: May 28, 2008 Quarterly Report

- ☐ Analysis from upgradient monitoring well
- ☐ Analysis from on-site supply well
- ☐ Analysis from shallow nearby supply well
- ☐ Concentration provided in previous Discharge Permit application
- ☐ Report or study (give citation here and attach relevant portion):
- ☒ Other (describe): monitor well #3

**ASK Laboratories, Inc.**

Analytical Services Kwik!

Order # 09-11-075  
11/30/09 10:35

ASK LABORATORIES, INC.

Page 2 of 5

TEST RESULTS BY SAMPLE

Sample: 01A MANURE

Collected: 11/17/09 13:10

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
PERCENT SOLIDS DRY WEIGHT	55.39		wt % solids	11/20/09	AMM
CHLORIDE ON SOLIDS	3070	750	mg/kg	11/19/09	RAD
NITRATE as (N)	300	75	mg/kg	11/19/09	RAD
TOTAL KJELDAHL NITROGEN	13600	376	mg/kg	11/25/09	RAD

Sample: 02A WASTEWATER

Collected: 11/17/09 13:00

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	1350	13	mg/l	11/24/09	RAD
* CHLORIDE	99.6	20.0	mg/l	11/19/09	RAD
NITRATE as (N)	14.1	0.2	mg/l	11/19/09	RAD
TOTAL KJELDAHL NITROGEN	155	2	mg/l	11/25/09	RAD

Sample: 03A MW #2

Collected: 11/17/09 12:33

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	290	13	mg/l	11/24/09	RAD
* CHLORIDE	9.3	2.0	mg/l	11/19/09	RAD
NITRATE as (N)	1.85	0.20	mg/l	11/19/09	RAD
TOTAL KJELDAHL NITROGEN	0.7	0.5	mg/l	11/25/09	RAD

5935 Glenoak Lane  
Amarillo, Texas 79109  
Telephone (806) 353-4425  
Toll Free 1-800-423-9443  
Facsimile (806) 352-6454



T104704346-09-TX

**ASK Laboratories, Inc.**

Analytical Services Kwik!

Order # 09-11-075  
11/30/09 10:35

ASK LABORATORIES, INC.

Page 3 of 5

TEST RESULTS BY SAMPLE

Sample: 04A MW #3

Collected: 11/17/09 12:55

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	279	13	mg/l	11/24/09	RAD
* CHLORIDE	5.6	2.0	mg/l	11/19/09	RAD
NITRATE as (N)	6.15	0.20	mg/l	11/19/09	RAD
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	11/25/09	RAD

Sample: 05A N. SUBWELL #1

Collected: 11/17/09 13:25

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	266	13	mg/l	11/24/09	RAD
* CHLORIDE	10.4	2.0	mg/l	11/19/09	RAD
NITRATE as (N)	1.91	0.20	mg/l	11/19/09	RAD
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	11/25/09	RAD

5935 Glenoak Lane  
Amarillo, Texas 79109  
Telephone (806) 353-4425  
Toll Free 1-800-423-9443  
Facsimile (806) 352-6454



Disclaimer: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause shall be deemed, waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for incidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of services rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

DP-1413



# Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109  
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • Fax: 806.677.0329

Lab #: A-2009NL 002340

## LABORATORY REPORT

Report Date: 08/20/2009 09:54 am



Accreditation #  
T104704264-09  
TV

Send To: ENVIRO-AG ENGINEERING INC  
6224 3404 AIRWAY BLVD  
AMARILLO, TX 79118

*Todd D. Whately*  
Todd Whately  
Laboratory Manager

<b>Project ID:</b> <b>Project Title:</b> STARK & SONS DAIRY <b>Sample ID:</b> WASTEWATER-SOUTH POND <b>Client Name:</b> STARK & SONS DAIRY <b>Subject:</b> Wastewater Lab Analysis	<b>Date/Time Received:</b> 08/13/2009 09:35 am <b>Name of Submitter:</b> PATRICK TUCKER <b>Date/Time Sampled:</b> 08/12/2009 12:25 pm <b>Name of Sampler:</b> JARETT STOVALL	<b>Location:</b> <b>Invoice No:</b> 402018 <b>P.O. #:</b> <b>Depth:</b> <b>Flow Rate:</b>
--	---	---

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
<b>NE LAP Accredited Tests</b>						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	0.17	mg/L	0.10	EPA 353.2	8/14/2009 1:54PM	LF
Chloride, Cl	110	mg/L	10	EPA 325.2	8/14/2009 2:14PM	LF
<b>Non-Accredited Tests</b>						
Total Kjeldahl Nitrogen, TKN	150	mg/L	37	SM 4500-NH3 C (20th Ed)	8/14/2009	RR
Total Dissolved Solids, TDS	1700	mg/L	100	SM 2540 C (20th Ed.)	8/14/2009 9:17AM	MD

RL = Reporting Limit



# Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109  
www.servitechlabs.com

Phone: 806.677.0093

800.557.7509

Fax: 806.677.0329

Lab No: 1672

## LABORATORY ANALYSIS REPORT

Report Date: 06/15/2009 10:08 am

**Send To:**

6224

ENVIRO-AG ENGINEERING INC  
3404 AIRWAY BLVD  
AMARILLO, TX 79118

Todd Whatley  
Laboratory Manager

**Client Name:**

STARK DAIRY  
WASTEWATER RCS #1  
05/21/2009

**Invoice No:**

401826

**Sample ID:**

**Date Received:**

**Analysis results**

lbs/acre-in

meq/L

Total Dissolved Solids 1520 mg/L

### NUTRIENTS

**Nitrogen**

Total Nitrogen	190	mg/L	43	
Organic Nitrogen	47	mg/L	11	
Ammonia Nitrogen	143	mg/L	32	10.2
Nitrate+Nitrite Nitrogen	<1	mg/L	0	0

**Major and Secondary Nutrients**

Phosphorus	42	mg/kg		
Phosphorus as P2O5	100	mg/kg	23	
Potassium	195	mg/kg		5.0
Potassium as K2O	230	mg/kg	52	
Chloride	57	mg/L	13	1.6

### OTHER PROPERTIES



Moisture	99.7	%		
Total Solids	0.3	%	680	
Organic Matter	0.2	%	453	
Ash	0.1	%	227	
C:N Ratio	6.1	ratio		



# Serv-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109  
www.servtechlabs.com

Phone: 806.677.0093 • 800.557.7509 • Fax: 806.677.0329

LABORATORY REPORT				Report Date: 08/20/2009 09:55 am				
Lab #: A-2009NL002341		Send To: ENVIRO-AG ENGINEERING INC 6224 3404 AIRWAY BLVD AMARILLO, TX 79118		 Todd Whatley Laboratory Manager				
Accreditation # T104704264-09 TV		Date/Time Received: 08/13/2009 09:35 am Name of Submitter: PATRICK TUCKER Date/Time Sampled: 08/12/2009 12:00 pm Name of Sampler: JARETT STOVALL		Location: Invoice No: 402018 P.O. #: Depth: Flow Rate:				
Project ID: Project Title: STARK & SONS DAIRY Sample ID: MW 1 Client Name: STARK & SONS DAIRY Subject: Monitoring Well Lab Analysis								
ACREDITED IN ACCORDANCE WITH 								
Analysis		Result	Unit	RL	Method	Analysis Date/Time	Tech	
NELAP Accredited Tests								
Nitrate+Nitrite Nitrogen, NO3+NO2-N		1.8	mg/L	0.10	EPA 353.2	8/14/2009 1:55PM	LF	
Chloride, Cl		9.7	mg/L	1.0	EPA 325.2	8/14/2009 2:16PM	LF	
Non-Accredited Tests								
Total Kjeldahl Nitrogen, TKN		ND	mg/L	5	SM 4500-NH3 C (20th Ed)	8/14/2009	RR	
Total Dissolved Solids, TDS		296	mg/L	20	SM 2540 C (20th Ed.)	8/14/2009 9:17AM	MD	





# Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109

[www.servitechlabs.com](http://www.servitechlabs.com)

Phone: 806.677.0093 • 800.557.7509 • Fax: 806.677.0329



LABORATORY REPORT				Report Date: 08/20/2009 09:55 am	
Lab #: A-2009NL002342		Send To: ENVIRO-AG ENGINEERING INC 6224 AMARILLO, TX 79118		 Todd Whatley Laboratory Manager	
Accreditation # T104704264-09 TV					
					
Project ID: Project Title: STARK & SONS DAIRY Sample ID: MW 3 Client Name: STARK & SONS DAIRY Subject: Monitoring Well Lab Analysis		Date/Time Received: 08/13/2009 09:35 am Name of Submitter: PATRICK TUCKER Date/Time Sampled: 08/12/2009 01:11 pm Name of Sampler: JARETT STOVALL			
Location:		Invoice No: 402018 P.O. #: Depth: Flow Rate:			
Analysis	Result	Unit	RL	Method	Analysis Date/Time Tech
<b>NELAP Accredited Tests</b>					
Nitrate+Nitrite Nitrogen, NO3+NO2-N	5.8	mg/L	0.10	EPA 353.2	8/14/2009 1:56PM LF
Chloride, Cl	7.3	mg/L	1.0	EPA 325.2	8/14/2009 2:17PM LF
<b>Non-Accredited Tests</b>					
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	SM 4500-NH3 C (20th Ed)	8/14/2009 RR
Total Dissolved Solids, TDS	312	mg/L	20	SM 2540 C (20th Ed.)	8/14/2009 9:17AM MD
RL = Reporting Limit ND = Not Detected at RL					
Page 1 of 1					



# Serv-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109  
www.servtechlabs.com



Phone: 806.677.0093 • 800.557.7509 • Fax: 806.677.0329

LABORATORY REPORT				Report Date: 06/04/2009 04:37 pm	
Lab #: A-2009NL001674		Send To: ENVIRO-AG ENGINEERING INC 6224 3404 AIRWAY BLVD AMARILLO, TX 79118		 Todd Whatley Laboratory Manager	
Accreditation # T104704264-09 TV					
					
Project ID: Project Title: STARK DAIRY Sample ID: MONITOR WELL #1 Client Name: STARK DAIRY Subject: Monitoring Well Lab Analysis		Date/Time Received: 05/21/2009 01:25 pm Name of Submitter: PATRICK TUCKER Date/Time Sampled: 05/20/2009 12:10 pm Name of Sampler: JARETT STOVALL		Location: Invoice No: 401826 P.O. #: Depth: Flow Rate:	
Analysis	Result	Unit	RL	Method	Analysis Date/Time Tech
<b>NELAP Accredited Tests</b>					
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.8	mg/L	0.10	EPA 353.2	5/22/2009 10:16AM LF
Chloride, Cl	9.4	mg/L	1.0	EPA 325.2	5/22/2009 11:36AM LF
<b>Non-Accredited Tests</b>					
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	5/27/2009 RR
Total Dissolved Solids, TDS	278	mg/L	20	SM 2540 C (20th Ed.)	6/1/2009 11:16AM MD
[RL = Reporting Limit]		[ND = Not Detected at RL]		Page 1 of 1	

# Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109  
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • Fax: 806.677.0329

LABORATORY REPORT				Report Date: 06/04/2009 04:40 pm	
<b>Lab #:</b> A-2009NL001675  		<b>Send To:</b> ENVIRO-AG ENGINEERING INC 6224 3404 AIRWAY BLVD AMARILLO, TX 79118		 <b>Todd D. Whatley</b> Laboratory Manager	
<b>Project ID:</b> <b>Project Title:</b> STARK DAIRY <b>Sample ID:</b> MONITOR WELL #3 <b>Client Name:</b> STARK DAIRY <b>Subject:</b> Monitoring Well Lab Analysis		<b>Date/Time Received:</b> 05/21/2009 01:25 pm <b>Name of Submitter:</b> PATRICK TUCKER <b>Date/Time Sampled:</b> 05/20/2009 12:45 pm <b>Name of Sampler:</b> JARETT STOVALL		<b>Location:</b> <b>Invoice No:</b> 401826 <b>P.O. #:</b> <b>Depth:</b> <b>Flow Rate:</b>	
Analysis	Result	Unit	RL	Method	Analysis Date/Time Tech
<b>NELAP Accredited Tests</b>					
Nitrate+Nitrite Nitrogen, NO3+NO2-N	7.4	mg/L	0.10	EPA 353.2	5/22/2009 10:18AM LF
Chloride, Cl	7.4	mg/L	1.0	EPA 325.2	5/22/2009 11:39AM LF
<b>Non-Accredited Tests</b>					
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	5/27/2009 RR
Total Dissolved Solids, TDS	276	mg/L	20	SM 2540 C (20th Ed.)	6/1/2009 11:16AM MD
<b>RL = Reporting Limit</b>					<b>ND = Not Detected at RL</b>
					Page 1 of 1

MAR 12 2009

**ASK Laboratories, Inc.**

BUREAU

Analytical Services Kwik!

Order # 09-02-068  
02/23/09 11:07

ASK LABORATORIES, INC.

Page 2 of 5

TEST RESULTS BY SAMPLE

Sample: 01A MANURE

Collected: 02/17/09 12:12

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
PERCENT SOLIDS DRY WEIGHT	48.59		wt % solids	02/19/09	RAD
CHLORIDE ON SOLIDS	4170	828	mg/kg	02/18/09	CRY
NITRATE as (N)	ND	41	mg/kg	02/18/09	CRY
TOTAL KJELDAHL NITROGEN	9740	1030	mg/kg	02/20/09	WJW

Sample: 02A WASTEWATER

Collected: 02/17/09 11:08

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	1500	13	mg/l	02/20/09	CRY
CHLORIDE	79.7	20.0	mg/l	02/18/09	CRY
NITRATE as (N)	2.39	0.20	mg/l	02/18/09	CRY
TOTAL KJELDAHL NITROGEN	168	5	mg/l	02/20/09	WJW

Sample: 03A MW #1

Collected: 02/17/09 11:00

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	282	13	mg/l	02/20/09	CRY
CHLORIDE	9.8	2.0	mg/l	02/18/09	CRY
NITRATE as (N)	1.86	0.20	mg/l	02/18/09	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	02/20/09	WJW

5935 Glenoak Lane  
Amarillo, Texas 79109  
Telephone (806) 353-4425  
Toll Free 1-800-423-9443  
Facsimile (806) 352-6454



## GROUND WATER

MAR 12 2009

**ASK Laboratories, Inc.**

BUREAU

Analytical Services Kwik!

Order # 09-02-068  
02/23/09 11:07

ASK LABORATORIES, INC.

Page 3 of 5

TEST RESULTS BY SAMPLE

Sample: 04A MW #2

Collected: 02/17/09 11:30

<u>Test Description</u>	<u>Result</u>	<u>MDL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	264	13	mg/l	02/20/09	CRY
CHLORIDE	8.4	2.0	mg/l	02/18/09	CRY
NITRATE as (N)	1.59	0.20	mg/l	02/18/09	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	02/20/09	WJW

Sample: 05A MW #3

Collected: 02/17/09 11:45

<u>Test Description</u>	<u>Result</u>	<u>MDL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	271	13	mg/l	02/20/09	CRY
CHLORIDE	7.0	2.0	mg/l	02/18/09	CRY
NITRATE as (N)	5.38	0.20	mg/l	02/18/09	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	02/20/09	WJW

5935 Glenoak Lane  
Amarillo, Texas 79109  
Telephone (806) 353-4425  
Toll Free 1-800-423-9443  
Facsimile (806) 352-6454

Disclaimer: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause shall be deemed, waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for incidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of services rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

## GROUND WATER

DEC 17 2008

ASK Laboratories, Inc.

BUREAU

Analytical Services Kwik!

Order # 08-11-058  
11/24/08 17:19

ASK LABORATORIES, INC.

Page 2 of 5

TEST RESULTS BY SAMPLE

Sample: 01A MANURE

Collected: 11/17/08 13:08

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
PERCENT SOLIDS DRY WEIGHT	45.57	0.10	wt % solids	11/19/08	CRY
CHLORIDE ON SOLIDS	4270	439	mg/kg	11/18/08	CRY
NITRATE as (N)	ND	2.20	mg/kg	11/18/08	CRY
TOTAL KJELDAHL NITROGEN	16300	109	mg/kg	11/19/08	WJW

Sample: 02A WASTEWATER

Collected: 11/17/08 12:56

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	1570	10	mg/l	11/24/08	CRY
CHLORIDE	115	40	mg/l	11/18/08	CRY
NITRATE as (N)	0.53	0.20	mg/l	11/18/08	CRY
TOTAL KJELDAHL NITROGEN	228	5	mg/l	11/19/08	WJW

Sample: 03A WELL WATER MW#1

Collected: 11/17/08 13:22

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	277	10	mg/l	11/24/08	CRY
CHLORIDE	10.0	2.0	mg/l	11/18/08	CRY
NITRATE as (N)	1.88	0.20	mg/l	11/18/08	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	11/19/08	WJW

5935 Glenoak Lane  
Amarillo, Texas 79109  
Telephone (806) 353-4425  
Toll Free 1-800-423-9443  
Facsimile (806) 352-6454



T104704346-08-TX

Please note: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause shall be deemed, waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for incidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of services rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

## GROUND WATER

DEC 17 2008

**ASK Laboratories, Inc.**

BUREAU

Analytical Services Kwik!

Order # 08-11-058

ASK LABORATORIES, INC.

Page 3 of 5

11/24/08 17:19

TEST RESULTS BY SAMPLE

Sample: 04A WELL WATER MW#2

Collected: 11/17/08 12:12

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	281	10	mg/l	11/24/08	CRY
CHLORIDE	8.45	2.0	mg/l	11/18/08	CRY
NITRATE as (N)	1.65	0.20	mg/l	11/18/08	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	11/19/08	WJW

Sample: 05A WELL WATER MW#3

Collected: 11/17/08 12:33

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	286	10	mg/l	11/24/08	CRY
CHLORIDE	6.98	2.0	mg/l	11/18/08	CRY
NITRATE as (N)	5.64	0.20	mg/l	11/18/08	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	11/19/08	WJW

5935 Glenoak Lane  
Amarillo, Texas 79109  
Telephone (806) 353-4425  
Toll Free 1-800-423-9443  
Facsimile (806) 352-6454



Use note: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause shall be deemed, waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for incidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of services rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

# ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 06-12-030  
12/14/06 10:54

ASK LABORATORIES, INC.

Page 2

## TEST RESULTS BY SAMPLE

Sample: 01A MW-#1

Collected: 12/08/06 12:05

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	261	10	mg/l	12/12/06	VRB
CHLORIDE	10.5	2.0	mg/l	12/11/06	BNH
NITRATE + NITRITE as (N)	1.51	0.20	mg/l	12/11/06	BNH
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	12/11/06	BNH

Sample: 02A MW-#2

Collected: 12/08/06 11:00

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	256	10	mg/l	12/12/06	VRB
CHLORIDE	9.5	2.0	mg/l	12/11/06	BNH
NITRATE + NITRITE as (N)	1.68	0.20	mg/l	12/11/06	BNH
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	12/11/06	BNH

Sample: 03A MW-#3

Collected: 12/08/06 11:25

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	281	10	mg/l	12/12/06	VRB
CHLORIDE	7.0	2.0	mg/l	12/11/06	BNH
* NITRATE + NITRITE as (N)	7.46	0.20	mg/l	12/11/06	BNH
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	12/11/06	BNH

5935 Glenoak Lane  
Amarillo, Texas 79109  
Telephone (806) 353-4425  
Toll Free 1-800-423-9443  
Facsimile (806) 352-6454

*highest NO<sub>3</sub>-N hydrologic downgradient of LRA*

ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 06-12-030  
12/14/06 10:54

ASK LABORATORIES, INC.

Page 3

TEST RESULTS BY SAMPLE

Sample: 04A MW-#4

Collected: 12/08/06 11:45

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	236	10	mg/l	12/12/06	VRB
CHLORIDE	14.3	2.0	mg/l	12/11/06	BNH
NITRATE + NITRITE as (N)	1.44	0.20	mg/l	12/11/06	BNH
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	12/11/06	BNH

Sample: 05A WASTEWATER

Collected: 12/08/06 11:35

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
POTASSIUM	210	0.5	mg/l	12/11/06	JA
* TOTAL NITROGEN	41.0	1.0	mg/l	12/11/06	BNH
TOTAL PHOSPHORUS as P	39.1	0.5	mg/l	12/11/06	JA

QA/QC INFORMATION

COMPOUND	RPD	SPIKE RECOVERY	QC RECOVERY	BLANK
CHLORIDE	0.1%	96%	97%	bd1
NITRATE	1.2%	98%	102%	bd1
TKN	4.1%	110%	113%	bd1
TDS	2.3%	****	****	bd1

PHOSPHORUS	1.5%	99%	101%	bd1
POTASSIUM	0.3%	93%	99%	bd1

5935 Glenoak Lane  
Amarillo, Texas 79109  
Telephone (806) 353-4425  
Toll Free 1-800-423-9443  
Facsimile (806) 352-6454

bd1=below detectable levels

*lowest TKN*

Disclaimer: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for incidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of services rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

DEC 9 9 2005

**ASK Laboratories, Inc.**

Analytical Services Kwik!

Order # 05-11-047  
11/18/05 16:05

ASK LABORATORIES, INC.

Page 2

TEST RESULTS BY SAMPLE

Sample: 01A MW #4

Collected: 11/10/05

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	222	5	mg/l	11/17/05	TWC
CHLORIDE	5.7	2.0	mg/l	11/14/05	BNH
NITRATE + NITRITE as (N)	1.16	0.20	mg/l	11/14/05	BNH
TOTAL KJELDAHL NITROGEN	0.2	0.1	mg/l	11/15/05	BNH

Sample: 02A MW #2

Collected: 11/10/05

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	255	5	mg/l	11/17/05	TWC
CHLORIDE	10.1	2.0	mg/l	11/14/05	BNH
NITRATE + NITRITE as (N)	1.59	0.20	mg/l	11/14/05	BNH
TOTAL KJELDAHL NITROGEN	0.3	0.1	mg/l	11/15/05	BNH

Sample: 03A MW #3

Collected: 11/10/05

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	261	5	mg/l	11/17/05	TWC
CHLORIDE	8.4	2.0	mg/l	11/14/05	BNH
NITRATE + NITRITE as (N)	4.65	0.20	mg/l	11/14/05	BNH
TOTAL KJELDAHL NITROGEN	0.3	0.1	mg/l	11/15/05	BNH

Sample: 04A WASTEWATER

Collected: 11/10/05

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	1600	5	mg/l	11/17/05	TWC
CHLORIDE	146	2.0	mg/l	11/14/05	BNH
NITRATE + NITRITE as (N)	<0.20	0.20	mg/l	11/14/05	BNH
* TOTAL KJELDAHL NITROGEN	471	0.1	mg/l	11/15/05	BNH

Highest TKN



Question:  
Ever had confirmed  
NO<sub>3</sub>-N contamination? NO

## ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 06-12-030  
12/14/06 10:54

ASK LABORATORIES, INC.

Page 2

### TEST RESULTS BY SAMPLE

Sample: 01A MW-#1

Collected: 12/08/06 12:05

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	261	10	mg/l	12/12/06	VRB
CHLORIDE	10.5	2.0	mg/l	12/11/06	BNH
NITRATE + NITRITE as (N)	1.51	0.20	mg/l	12/11/06	BNH
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	12/11/06	BNH

Sample: 02A MW-#2

Collected: 12/08/06 11:00

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	256	10	mg/l	12/12/06	VRB
CHLORIDE	9.5	2.0	mg/l	12/11/06	BNH
NITRATE + NITRITE as (N)	1.68	0.20	mg/l	12/11/06	BNH
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	12/11/06	BNH

Sample: 03A MW-#3

Collected: 12/08/06 11:25

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	281	10	mg/l	12/12/06	VRB
CHLORIDE	7.0	2.0	mg/l	12/11/06	BNH
NITRATE + NITRITE as (N)	7.46	0.20	mg/l	12/11/06	BNH
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	12/11/06	BNH

DP-1413

MW-3

↳ Highest NO<sub>3</sub>-N Reported in Ground Water

↳ Source Monitored: LAA

MW-1

↳ upgradient Mw

5935 Glenoak Lane  
Amarillo, Texas 79109  
Telephone (806) 353-4425  
Toll Free 1-800-423-9443  
Facsimile (806) 352-6454

Please Note: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for incidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of services rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

# ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 06-12-030  
12/14/06 10:54

ASK LABORATORIES, INC.

Page 3

## TEST RESULTS BY SAMPLE

Sample: 04A MW-#4

Collected: 12/08/06 11:45

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	236	10	mg/l	12/12/06	VRB
CHLORIDE	14.3	2.0	mg/l	12/11/06	BNH
NITRATE + NITRITE as (N)	1.44	0.20	mg/l	12/11/06	BNH
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	12/11/06	BNH

Sample: 05A WASTEWATER

Collected: 12/08/06 11:35

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
POTASSIUM	210	0.5	mg/l	12/11/06	JA
TOTAL NITROGEN	41.0	1.0	mg/l	12/11/06	BNH
TOTAL PHOSPHORUS as P	39.1	0.5	mg/l	12/11/06	JA

## QA/QC INFORMATION

COMPOUND	RPD	SPIKE RECOVERY	QC RECOVERY	BLANK
CHLORIDE	0.1%	96%	97%	bdl
NITRATE	1.2%	98%	102%	bdl
TKN	4.1%	110%	113%	bdl
TDS	2.3%	****	****	bdl
PHOSPHORUS	1.5%	99%	101%	bdl
POTASSIUM	0.3%	93%	99%	bdl

5935 Glenoak Lane  
Amarillo, Texas 79109  
Telephone (806) 353-4425  
Toll Free 1-800-423-9443  
Facsimile (806) 352-6454

bdl=below detectable levels